

BioSure
PROFESSIONAL

ProMED^{USA}
products that REALLY work.

5 Second Rapid Bactericidal
Tested and verified by: SGS



The SG-OzSpray from BioSure



SG-OzSpray Professional Ozone Spray Bottle

**Turns plain tap water into a
powerful spray of Ozonated Water**
Cleans, Sanitizes, Deodorizes - without chemicals!



Eliminates
Viruses, Bacteria, Odours



5 seconds
Achieves 99.99% sanitizer rate




Safety
Totally Harmless to People



Friendly
Chemical Free

Industry leading 3ppm professional high concentration ozone water



With only a single press of one button

99.99%

Third-party measured sanitize rate

3000 times

Sanitizes faster than chlorine

5 seconds

Achieve 99.99% sanitize rate

25 minutes

Maintains the concentration of ozone water time

ZERO

Chemical residues

12000 times

Service life



150 ml (0.04 gal)

Features



Only needs water and electricity. No additional costs



It does not change the pH of the water



USB-C charging Plug and play



Two-stage mode to meet various applications



Strong and sturdy metal body

Chemical-Free

The 2nd generation handheld rechargeable Professional Ozone Spray Bottle (SG-OzSpray) applies revolutionary electrolysis technology that can convert your regular tap water into an anti-bacterial sanitizing water. This revolutionary technology can help **replace conventional chemical surface sanitizers**. Simply fill the bottle with clean tap water, press the button, and the device will instantly convert ordinary water into ozonated water.

Small Size, High Performance

Ozonated water is well-known for its fast and **powerful sanitation performance**. This ozone sprayer offers an **effective, safe, and environmentally friendly surface sanitation for many commercial hygiene applications**.



SGS



Focus Points



For Catering

- Hotels
- Restaurants
- Coffee and tea
- Bars



For Health Care

- Hospitals
- Kindergartens
- Clinics
- Nursing Homes



For Public Places


- Gyms
- Offices
- Schools
- Cleaning company



Hand sanitation
> 99.99%



Surface sanitation
> 99.99%



Wayne Simmons, DMD

"My recent personal and professional practice experience utilizing aqueous ozone from BES Group has been extraordinarily positive and beneficial to our patients, our staff, and to myself. It is a remarkable technology that will be welcomed into dental practices, medical offices, hospitals, nursing facilities, food and beverage, recreational facilities, worldwide."


United States - Prosthodontist, ACP, Diplomate ABOI



Added the approval to use ozone water as a food surface bactericide in its food specification.



60CM



Wide Coverage Area

Specifications

Model No.	SG-OzSpray Professional	
O₃ Concentration*	3.0ppm (Mode1: 5 min. & Mode2: 25 min.)	
Reservoir Size	150 ml (0.04 gal); covers 30 m ²	
Charging Time	60 minutes, Can generate up to 1800 ml or 12 bottles per charge	
Water Quality	Clean tap water**	
Water Temperature	5- 35° C (41- 95 °F)	
Ambient Temperature	5- 40° C (41- 104 °F)	
Rechargeable Battery	Li-polymer Battery, 3.7V/1200mAh	
Charger Input	Input : 100-240V AC, 50/60Hz	Output : 5V/1A DC
Dimensions	Φ53 x 254.8 mm (Φ2.1 x 10.0 in)	
Weight	308 g (0.68 lbs) ± 1%	
Life Span	> 2 year (8 bottles uses/day)	


* Tested with soft clean water (TDS ≈ 100 ppm, temperature ≈ 25° C) Ozone concentration varies depending on conditions such as water quality or temperature.

**Potable water (TDS 60 - 200 ppm, Hardness < 180 ppm as CaCO₃) . If hard water is used (hardness > 120 ppm CaCO₃;TDS > 250ppm), regular cleaning with citric acid solution is recommended for maintaining performance.

About Us

Since 1988, BES Group has been the global leader in electrolytic technology. Converting water to ultra pure ozone gas and hydrogen gas is our core technology. Series products include Food Safety & Sanitation, Healthy Environment, Clean Water, and Sanitation & Wellness.

All products and components are tested for high performance, safety, and reliability with required certifications from government agencies and leading 3rd party labs.



Technologies applied are protected by one or more of the following patents:
US 8,308,914 B2, US 9,757,697 B2, US 9,248,208 B2

North America

BIOSURE North America, LLC.
2020 Babcock Rd., Ste. 25
San Antonio, Texas 78229 USA
www.besgroups.com

China

Shanghai Zhongte Environmental Technology Co., LTD
Room 308, Building D, 1058, South Shenbin Rd,
Minhang, Shanghai 201106 China
www.besgroup.com.cn

Manufacturing ISO 9001 Certified

Yantai United Ozonetec Corporation.
4F, 1 Wuzhishan Rd, ETDZ
Yantai, Shandong 264006 China
www.besgroup.com.cn

Singapore

ProMedUSA Pte Ltd
116 Middle Road,
#09-01D ICB Enterprise House
Singapore 188972
www.promedusa.us

Corporate HQ

Biotek Environmental Science Ltd.
5F, 98 Xingde Rd, Sanchung Dist,
New Taipei, 24158 Taiwan
www.besgroups.com